

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,449,206 B2
APPLICATION NO. : 10/714446
DATED : November 11, 2008
INVENTOR(S) : T. D. Moser et al.

Page 1 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

<u>COLUMN</u>	<u>LINE</u>	<u>ERROR</u>
12 (Claim 1,	33-34 lines 4-5)	“tenderom- eter” should break --tendero- meter--
13 (Claim 12,	15-16 lines 4-5)	“tenderom- eter” should break --tendero- meter--
14 (Claim 22,	17 line 3)	delete “pg,23”
14 (Claim23,	21-22 lines 4-5)	“tenderom- eter” should break --tendero- meter--
14 (Claim 26,	42 line 6)	“selective” should read --selectively--
14 (Claim 26,	42 line 6)	“adjusted” should read --adjusting--
14 (Claim 26,	42 line 6)	“serene” should read --screen--

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,449,206 B2
APPLICATION NO. : 10/714446
DATED : November 11, 2008
INVENTOR(S) : T. D. Moser et al.


Page 2 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

<u>COLUMN</u>	<u>LINE</u>	<u>ERROR</u>
14 (Claim 26,	42 line 6)	“on said data.” should read --based on said data.--

Signed and Sealed this

Twenty-fifth Day of August, 2009

A handwritten signature in black ink, reading "David J. Kappos". The signature is written in a cursive, flowing style with a large initial 'D' and a stylized 'K'.

David J. Kappos
Director of the United States Patent and Trademark Office